




Model Ref.	Power (tcW)	Luminaire Output (lm)	Colour	Dimension	Cut Out	IP Rating
ALL/11W/3K	11	1150	830	ø 195mm x 112mm	ø 176mm	IP20
ALL/10W/4K	10	1075	840	ø 195mm x 112mm	ø 176mm	IP20
ALL/19.5W/3K	19.5	1900	830	ø 195mm x 112mm	ø 176mm	IP20
ALL/18W/4K	18	1875	840	ø 195mm x 112mm	ø 176mm	IP20
ALL/26.5W/3K	26.5	2700	830	ø 195mm x 112mm	ø 176mm	IP20
ALL/26.5W/4K	26.5	2825	840	ø 195mm x 112mm	ø 176mm	IP20
ALL/17.5W/TUNE	17.5	1725	927 - 965	ø 195mm x 112mm	ø 176mm	IP20

Key Features

- Professional LED Downlight
- Tridonic Advance LED and driver combination
- Part L and ECA compliant efficiencies
- Low glare <UGR19 for LG7 compliance
- Lumen maintenance L80 / F10 @ 50,000 hours
- 60° satin etch reflector as standard
- Tunable white version, HCL variant
- 5 year warranty

Please select from the options below

Dali	/DA
Switch Dim / Mains	/SD
DSI	/DSI
Emergency	/EM
Dali Emergency	/DA/EM
DALI Emergency Empro	/DA/EMPRO
Black Bezel	/BLK
50° multi- faceted	/MF50
IP65 Bezel	/65
40° specular	/SP40
Bluetooth wireless control - inc dim	/BTC






/MF50
50° Multifaceted reflector



/SP40
40° Specular reflector



/ECO
SwitchDIM, DALI or DSI



/EM
EM conversion



/EMD
DALI and self-test EM conversion



/EMI
Integral indicator for EM conversion



/EMDI
Integral indicator for DALI and self-test EM conversion



LCP/XET
Lighting Control Panel / XE Touch
For use with tunable white option



/BTC
Casambi Bluetooth wireless network
(inc dim)

Bezel Finish



TA300/WH
White bezel - RAL9010



TA300/BWH
Brilliant white bezel - RAL9016



TA300/BL
Black bezel - RAL9005



TA300/GY
Grey bezel - RAL9006



AT300/WH, /BWH, /BL, /GY
Anti-tamper bezel



GF208 / GF218
Anti-tamper driver / Anti-tamper bit





TA301
White bezel complete with outer etched glass



TA302
White bezel complete with clear glass



TA303
White bezel complete with centre etched glass



TA305
White bezel complete with clear halo glass



TA306
White bezel complete with etched halo glass



TA307
White bezel complete with fully etched glass



CB301
White corona bezel with outer etched glass



CB302
White corona bezel with clear glass



CB303
White corona bezel with centre etched glass



CB305
White corona bezel with clear halo glass



CB306
White corona bezel with etched halo glass



CB307
White corona bezel with fully etched glass



/65
Universal bezel to accept IP65 accessories



IP65/002/195
IP65 Clear glass



IP65/008/195
IP65 Opal polycarbonate



IP65/009/195
IP65 Clear polycarbonate



GF008 / GF010
Anti-tamper driver / Anti-tamper bit for IP65 bezel





TA310/BLACK
Black snoot



TA310/FROST
Frosted snoot



TA310/BLUE
Blue snoot



TA340
IP54 Clear glass



TA341
IP54 Centre etched glass



TA342
IP54 Full etched glass



TA343
IP54 Clear polycarbonate



TA344
IP54 Opal polycarbonate



TA317
IP44 Prismatic lens



TA384
Frosted hi-light



TA385
Blue hi-light



HALOKIT.002
Halo kit - maximum cut-out 250 mm

